

Technical datasheet

Wedgmounts 304-VRC /NS

Art. no.
1.30304.73

For lathes, grinding machines, boring machines, transport lines and special machines. Ideal stability and non-skid properties. Without vibration isolation.

Max. load
8000 daN

Article information	
Type	304-VRC /NS
Name	Wedgmounts
Art. no.	1.30304.73
Color	RAL 7016 anthracite grey
Other colors upon request.	
Surface treatment	painted

Technical Data	
Max. load [daN]	8000
Leveling range [mm]	5
Leveling range [mm]	-8
Leveling distance per turn [mm]	0.28
Temperature range from [°C]	-20
Temperature range to [°C]	80
Weight [kg]	6.922


Pad equipment	
Bottom pad type	902
Pad thickness unloaded [mm]	2
Coefficient of friction on concrete with fine mortar	0.8
Coefficient of friction tolerance +/-	0.1
Hardness [° Shore A]	90 - 95
Bottom pad area A_1 [cm ²]	275
Top pad type	902
Pad thickness unloaded [mm]	2
Coefficient of friction on concrete with fine mortar	0.8
Hardness [° Shore A]	90 - 95
Top pad area A_2 [cm ²]	275

Dimensions	
Height H [mm]	57
Height H_{0B} in neutral position, without pads [mm]	53
Length L [mm]	170
Length L_1 [mm]	61
Length L_2 [mm]	28
Length L_{max} [mm]	257
Width B [mm]	170
Width across flats SW_1 [mm]	22
Width across flats SW_2 [mm]	12


Type illustration



System description



Dimensioned sketch



Mounting sketch

